

C-1035 LIGHTWEIGHT CAPSTAN WINCH


The C-1035 Lightweight Capstan Winch is designed for use over manholes.

Powered by a 5.5HP Honda engine through a right angle gearbox, the C-1035-05 offers a pulling capacity of 500kg. The C-1035-10 has an 8HP Honda Engine with a pulling capacity of 1000kg.



ORDERING INFORMATION

C-1035-05-0001	Lightweight Capstan Winch - 500kg
C-1035-10	Lightweight Capstan Winch - 1000kg




OPTIONAL EXTRAS

D-918-14-100-F	100m of 14mm 3 strand pre-stretched rope with soft eyes
D-918-14-200-F	200m of 14mm 3 strand pre-stretched rope with soft eyes

SPECIFICATIONS	C-1035-05-0001	C-1035-10
Capacity	500kg	1000kg
Engine	5.5HP	8HP
Length	1100mm	1250mm
Width	500mm	500mm
Height	600mm	600mm
Weight	69kg	99kg

C-1350 CABLE PUSHER



The C-1350 Cable Pusher has been designed to assist the laying of electrical cables or cylindrical elements. The unit has a profiled drive system to grip the cable, with a load applicator of adjustable upper rollers.

The drive system is hydraulic, and is powered by a C-1203- F Portable Hydraulic Power Pack.

ORDERING INFORMATION

C-1350	Cable Pusher
C-1350-01	Control Valve Module with 2m hydraulic hoses

SPECIFICATIONS

Cable Size	30-150mm outside diameter
Length	1390mm
Width	500mm
Height	770mm
Weight	200kg
Max Push	700kg
Max Speed	10m/min
Controls	Single lever for push/pull operations with variable speed control
Drive System	Hydraulic
Recommended	18ltr/min @ 60 bar

C-1203 HYDRAULIC POWER PACK



ORDERING INFORMATION

C-1203-F	Hydraulic Power Pack with trolley
----------	-----------------------------------

This unit is powered by an air-cooled, 8hp Honda GX240 petrol engine, delivering the recommended 18 litres/min at a working pressure of 60 bar for the C-1350 Cable Pusher.

SPECIFICATIONS

Length	720mm
Width	530mm
Height	615mm
Weight	66kg
Hydraulic Tank Capacity	5 Litres

D-196-01-F HEAVY DUTY CABLE ROLLER



All Zinc plated heavy duty assembly suitable for cables up to 125mm dia. Steel frame fitted large waisted steel roller running on sealed ball bearings.

SPECIFICATIONS

Dimensions	350 x 230mm
Weight	4kg

ORDERING INFORMATION

D-196-01-F	Heavy Duty Cable Roller
------------	-------------------------

D-196-02 NARROW CABLE ROLLER



Designed for use in narrow trenches. Lightweight assembly suitable for cables up to 76mm dia. Zinc plated steel frame fitted with large waisted solid aluminium roller running on low friction sintered bushes.

SPECIFICATIONS

Dimensions	320 x 145mm
Weight	2.75kg

ORDERING INFORMATION

D-196-02-F	Narrow Cable Roller
------------	---------------------

D-196-04 BRIDGE ROLLER



All Zinc plated heavy duty assembly as per the D-196-01, a cable roller designed to bridge existing cables up to 90mm dia.

SPECIFICATIONS

Dimensions	350 x 230mm
Weight	4.5kg

ORDERING INFORMATION

D-196-04-F	Bridge Roller
------------	---------------

D-194 V FRAME GUIDE SET



Positioned in front of drum to guide cable into a trench or duct.

SPECIFICATIONS

Dimensions	825 x 500 x 415mm
Weight	19.45kg

ORDERING INFORMATION

D-194	V Frame Guide Set
-------	-------------------

D-195 TRENCH FEED ROLLER SET



Guides cables into trench, adjustable vertical guide rollers.

SPECIFICATIONS

Dimensions	1000 x 200 x 250mm
Weight	22kg

ORDERING INFORMATION

D-195	Trench Feed Roller Set
-------	------------------------

D-439 LEAD ROLLER



A horizontal roller to protect cable feeding from drum, fitted with end guides

SPECIFICATIONS

Dimensions	1000 x 300 x 180mm
Weight	11kg

ORDERING INFORMATION

D-439	Lead Roller
-------	-------------

D-1041-001 MANHOLE ENTRY ROLLER



This roller is used to guide draw rope into and out of manhole openings.

SPECIFICATIONS

Dimensions	260 x 150 x 160mm
Weight	2.4kg

ORDERING INFORMATION

D-1041-001	Manhole Entry Roller
------------	----------------------

D-1047-001 TRIPLE CORNER ROLLER



All zinc plated finish and using two vertical and one horizontal steel roller for taking the heaviest cables round difficult corners.

SPECIFICATIONS

Dimensions	295 x 290 x 540mm
Weight	12kg

ORDERING INFORMATION

D-1047-001	Triple Corner Roller
------------	----------------------

D-437-F ANGLE CORNER ROLLER



Purpose designed for taking the heaviest cables round difficult corners and bends. Incorporates a vertical and horizontal roller 75mm diameter on low friction sintered bushes

SPECIFICATIONS

Dimensions	280 x 160 x 300mm
Weight	9kg

ORDERING INFORMATION

D-437-F	Angle Corner Roller
---------	---------------------

D-1048-001-F MANHOLE QUADRANT ROLLER

Designed for placing at the end of the manhole or pit entrance to ease the cable in. Triple Aluminium Roller on tubular steel frame. Zinc Plated.



SPECIFICATIONS

Dimensions	500 x 290 x 630mm
Weight	14kg

ORDERING INFORMATION

D-1048-001-F	Manhole Quadrant Roller
--------------	-------------------------

CABLE PULLING GRIPS



Cable Pulling Grips are manufactured from high-grade galvanized steel wire, in either a single or double weave construction.

Slipped over the outside of the cable, when tension is applied the grip contracts applying the pulling force to the cable.

Split grips are available on all models, for example; E-958-0611-SP.

CABLE STOCKINGS

SPECIFICATIONS - SINGLE WEAVE

Single Eye	E-958-0611	E-958-1311	E-958-1911	E-958-2511
Double Eye	E-958-0612	E-958-1312	E-958-1912	E-958-2512
Diameter Range	6-13mm	13-19mm	19-25mm	25-38mm
Grip Length	300mm	550mm	600mm	700mm

SPECIFICATIONS - DOUBLE WEAVE

Single Eye	E-958-3821	E-958-5121	E-958-6321
Double Eye	E-958-3822	E-958-5122	E-958-6322
Diameter Range	38-51mm	51-63mm	63-76mm
Grip Length	1000mm	1300mm	1300mm

STEEL BELLMOUTH




Manufactured from Zinc plated Steel, the Bellmouth comes in separable halves to guide the Cable through the Duct to avoid damage to both the Cable and Duct. Also available with rollers.

ORDERING INFORMATION

D-206-60-F	60-69mm Steel Bellmouth
D-206-80-F	76-89mm Steel Bellmouth
D-207-90-F	90-97mm Steel Bellmouth
D-207-100-F	99-106mm Steel Bellmouth
D-207-125-F	124-130mm Steel Bellmouth
D-207-150-F	148-155mm Steel Bellmouth
D-207-160-F	152-176mm Steel Bellmouth
D-207-175-F	173-190mm Steel Bellmouth
D-207-200-F	194-212mm Steel Bellmouth
D-207-230-F	220-239mm Steel Bellmouth
D-207-250-F	246-266mm Steel Bellmouth

STEEL BELLMOUTH WITH GUIDE ROLLER



In separable hinger halves to guide the cable through the duct to avoid damage to both the cable or the duct. Fitted with a guide roller for additional rope guidance and protection. Zinc plated finish.

ORDERING INFORMATION

D-206-60-R-F	60-69mm Steel Bellmouth
D-206-80-R-F	76-89mm Steel Bellmouth
D-207-90-R-F	90-97mm Steel Bellmouth
D-207-100-R-F	99-106mm Steel Bellmouth
D-207-125-R-F	124-130mm Steel Bellmouth
D-207-150-R-F	148-155mm Steel Bellmouth
D-207-160-R-F	152-176mm Steel Bellmouth
D-207-175-R-F	173-190mm Steel Bellmouth
D-207-200-R-F	194-212mm Steel Bellmouth
D-207-230-R-F	220-239mm Steel Bellmouth
D-207-250-R-F	246-266mm Steel Bellmouth