













KLEIN TOOLS CATALOGUE







CBS Products (KT), Ltd is a leading provider of solutions and equipment to the installers of power transmission lines and telecom networks around the world.

From our base in Oakham, Rutland, the company started life as a manufacturer of cable jointing equipment and gradually diversified into winching equipment for the power transmission industry. With the deregulation of the electricity industry, power companies embarked on a diversification policy and entered the field of telecommunications, installing fibre cables along transmission line networks. This provided an opportunity for the company to develop a line of pullers and tensioners specifically for this work.

Our expose to the UK Telecoms market meant that the company's expertise and know-how rapidly came to the attention of the major players in the fibre optic cable world. As a result, CBS became the partner of choice in a number of high profile, international fibre optic cable projects around the world. These projects provided further opportunities for the company to show its prowess in developing innovative solutions capable of withstanding extreme conditions, both of climate and terrain.

Towards the end of the 90's the company's continuing quest for new horizons culminated in the development of the Tornado series of fibre optic blowing machines. These have proved highly successful both in the UK and global telecom markets. In the UK alone the Tornado beat off all competition in a highly demanding trial, enabling CBS to win a highly coveted contract as exclusive suppliers of Cable Blowing Equipment to British Telecommunications (BT).

As of June 2017, CBS were acquired by Klein Tools Inc. of the USA. Empowered with the financial and engineering resources of Klein, CBS has what it takes to keep your project running smoothly and on schedule, whether you're in Telecoms, CATV or Power Transmission line installation. Which brings us to one more compelling reason to consider us when planning your next cable deployment project: your bottom line









CBS PRODUCTS (KT), LTD PILLINGS ROAD INDUSTRIAL ESTATE OAKHAM RUTLAND LE15 6QF UNITED KINGDOM

TEL: +44 (0)1572 723 665

EMAIL: sales@cbsproducts.com WEBSITE: www.cbsproducts.com





KLEIN TOOLS

Market leading tools from Klein. We offer a wide selection of tooling to fulfil any task on site. The range includes Cutters and Pliers, Canvas Bags, Insulated tools, and a selection of tool kits.



K-1656 STANDARD ALUMINIUM/COPPER GRIPS



The smooth round jaw contour provides maximum contact when used on bare ACSR, aluminium and standard copper conductors. Hot Line grips are available by placing 'H' after model number.

ORDERING INFORMATION			
K-1656-20	Grips 5.08-10.16mm		
K-1656-30	Grips 7.87-13.46mm		
K-1656-40	Grips 13.46-18.8mm		
K-1656-50	Grips 18.4-21.83mm		
K-1656-60	Grips 21.83-24.6mm		

SPECIFICATIONS	K-1656-20	K-1656-30	K-1656-40	K-1656-50	K-1656-60
Range	5.08-10.16mm	7.87-13.46mm	13.46-18.8mm	18.4-21.83mm	21.83-24.6mm
WLL	1,150kgf	1,160kgf	2,400kgf	2,400kgf	2,400kgf
Weight	1.36kg	1.7kg	3.4kg	3.4kg	3.4kg

K-1684 GRIPS FOR HIGH STRENGTH CABLE



ORDERING INFORMATION			
K-1684-5	Grips 5.54-13.97mm **		
K-1684-74	Curved Grips 5.54-13.97mm		
K-1684-5C	Grips 4.06-13.97mm		
K-1613-40	Grips 3.05-9.4mm **		

^{**} Hot Line grips available by placing 'H' after model no.

SPECIFICATIONS	K-1684-5	K-1684-74	K-1684-5C	K-1613-40
Range	5.54-13.97mm	5.54-13.97mm	4.06-13.97mm	3.05-9.4mm
WLL	2,240kgf	2,240kgf	2,240kgf	1,150kgf
Weight	2.83kg	2.83kg	2.83kg	1.3kg
Jaw Profile	Standard	Curved	Aggressive	Standard

K-1613-30 CHICAGO GRIPS FOR BARE WIRE



Lightweight, cost-effective grip. Designed for working with solid and stranded bare wire from 2 mm to 5.1 mm. Single "V" groove jaw.

SPECIFICATIONS			
Jaw Length	76mm		
Weight	0.7kg		
WLL	630kgf		

	ORDERING INFORMATION
K-1613-30	Chicago Grip for Bare Wire

PARALLEL JAW GRIPS



Lightweight, compact grips pull an exceptionally wide range of cable sizes and types.

SPECIFICATIONS	K-1685-20	K-1685-31
Range	3.98-22.22mm	15.87-31.75mm
WLL	1,600kgf	1,380kgf
Weight	1.4kg	2.3kg
Jaw Length	63.5mm	114mm

ORDERING INFORMATION			
K-1685-20	3.98-22.22mm Parallel Jaw Grips		
K-1685-31	15.87-31.75mm Parallel Jaw Grips		

K-171670 PARALLEL JAW GRIPS FOR HDPE



SPECIFICATIONS			
Max Safe Load	1,200kgf		
Cable Diameter	15.9-34.6mm		
Jaw Length	114.3mm		
Weight	2.31kg		

	ORDERING INFORMATION
K-171670	Parallel Jaw Grips for HDPE Coated Cable

PARALLEL JAW GRIPS



ORDERING INFORMATION			
K-KT4500	4.57-15.2mm Parallel Jaw Grips		
K-KT4600	7.62-20.3mm Parallel Jaw Grips		
K-KT4650	4.06-22.86mm Parallel Jaw Grips		
K-KT4800	17.78-31.75mm Parallel Jaw Grips		

SPECIFICATIONS	K-KT4500	K-KT4600	K-KT4650	к-кт4800
Range	4.57-15.2mm	7.62-20.3mm	4.06-22.86mm	17.78-31.75mm
WLL	1,200kgf	2,970kgf	1,980kgf	2,940kgf
Weight	1.7kg	3.2kg	2kg	4.1kg
Jaw Length	102mm	127mm	114.3mm	130.2mm

K-1604 MESSENGER & GUY HAVEN'S GRIPS



Designed for use when light, compact grip is desired and where conductor damage is not a factor. Latch on K-1604-20L helps hold cable in the jaw.

	ORDERING INFORMATION
K-1604-10	Grips 1.52-6.35mm
K-1604-20L	Grips 3.18-12.7mm

SPECIFICATIONS	K-1604-10	K-1604-20L
Range	1.52-6.35mm	3.18-12.7mm
WLL	720kgf	1,820kgf
Weight	1.8kg	0.95kg

K-1628 LARGE CONDUCTOR GRIPS



Custom made to individual conductor sizes to ensure maximum contact around the cable.

	ORDERING INFORMATION	
K-1628-16P	Grips 7.87-22.35mm	
K-1628-30	Grips 21.59-31.5mm	
K-1628-40	Grips 31.5-39.12mm	

SPECIFICATIONS	K-1628-16P	K-1628-30	K-1628-40
Range	7.87-22.35mm	21.59-31.5mm	31.5-39.12mm
WLL	2,245kgf	4,450kgf	6,667kgf
Weight	7.71kg	12.29kg	15.47kg

K-1625-20 WIRE ROPE HAVEN'S GRIPS



	ORDERING INFORMATION	
K-1625-20	Haven's Grip	

Designed for use when light, compact grip is desired and where conductor damage is not a factor. Swing latch helps hold cable in the jaw.

	SPECIFICATIONS
WLL	2,700kgf
Range	1.77-19.05mm
Weight	1.8kg

K-D20009NE HEAVY DUTY LINESMANS PLIERS



The 2000 series blades are designed for heavy-duty cutting of ACSR, screws, nails, and most hardened wire. The high-leverage design provides 46-Percent greater cutting power than other plier designs. Exclusive handle tempering absorbs the "snap" when cutting wire. NOT insulated

	SPECIFICATIONS	
Length	238mm	
Weight	0.5kg	
Jaw Dimensions	40.5 x 32mm	
Nose Type	New England	

	ORDERING INFORMATION
K-D20009NE	Side Cutting Linesman's' Pliers

K-D20009NETP FISH TAPE PULLING LINESMANS PLIERS



These Linesman's Side-Cutting pliers quickly and easily pull 1/8" (3 mm) or 1/4" (6 mm) flat steel fish tape without damaging the tape. Cuts ACSR, screws, nails, and most hardened wire. Not insulated.

	SPECIFICATIONS	
Length	238mm	
Weight	0.5kg	
Jaw Dimensions	40.5 x 32mm	
Nose Type	New England	

ORDERIN	G INFORMATION
K-D20009NETP	Fish Tape Linesman's' Pliers

K-D2139 SQUARE NOSE LINESMANS PLIERS



These High-Leverage, Side-Cutting Pliers feature a square nose for twisting and grabbing wires. The rivet is closer to the cutting edge for 46-Percent more cutting and gripping power than other pliers. Induction hardened cutting knives are extra durable for longer life. The exclusive handle tempering absorbs the "snap" when cutting wire.

	SPECIFICATIONS	
Length	238mm	
Weight	0.5kg	
Jaw Dimensions	41 x 32mm	
Nose Type	Square	

	ORDERING INFORMATION
K-D2139	Square Nose Lineman's Pliers

sales@cbsproducts.com +44 (0)1572 723 665

K-63607 ACSR RATCHET CABLE CUTTER



Designed for cutting up to 170mm² ACSR, 185mm² Copper and 300mm² Aluminium.

SPECIFICATIONS				
Length	261mm			
Weight	0.7kg			

	ORDERING INFORMATION
K-63607	ACSR Ratchet Cable Cutter

K-63050 HIGH LEVERAGE CABLE CUTTER



Ideal for working in confined spaces. Designed for cutting Copper & Aluminium Cables. Not suitable for steel or ACSR.

	SPECIFICATIONS	
Length	242mm	
Weight	0.5kg	

	ORDERING INFORMATION
K-63050	High Leverage Cable Cutter

K-63060 RATCHET CABLE CUTTERS



Quick action Ratchet Cutters designed for cutting up to 18mm Copper & Aluminium cables up to 22mm. Not for Steel or ACSR.

10

SPECIFICATIONS					
Length	261mm				
Weight	0.6kg				

ORDERING INFORMATION			
K-63060	Ratchet Cable Cutters		

K-63711 OPEN JAW CABLE CUTTERS



SPECIFICATIONS

Length 292mm

Weight 0.9kg

Quick action Ratchet Cutters designed cutting up to 20mm Copper & Aluminium cables up to 25mm. Not for Steel or ACSR.

	ORDERING INFORMATION
K-63711	Open Jaw Ratchet Cable Cutter

K-63750 RATCHET CABLE CUTTERS



	SPECIFICATIONS	
Length	308mm	
Weight	0.8kg	

Quick action Ratchet Cutters designed for use on Copper & Aluminium cables up to 28mm. Not for Steel or ACSR.

	ORDERING INFORMATION
K-63750	Ratchet Cable Cutter

K-63016 HEAVY DUTY CABLE SHEARS



SPECIFICATIONS					
Length	190.5mm				
Weight	0.29kg				

Cuts up to 6.4mm copper and mild steel, up to 4.8mm aircraft cable, wire rope and aluminium, steel and iron rods up to 4mm.

ORDERING INFORMATION				
K-63016	Heavy Duty Cable Shears			

STEEL HANDLE BOLT CUTTERS



All purpose bolt cutters with steel handles fitted with heavy vinyl grips with flat grips ends for 90° cuts. Centrecut jaws for soft, medium and hard metals. Not suitable for cable cutting.

ORDERING INFORMATION	K-63314	K-63318	K-63324	К-63336
Length	355.6mm	457mm	610mm	915mm
Weight	1.45kg	1.6kg	2.9kg	6.5kg
Soft/Med Material Max Capacity	7.9mm	9.5mm	11mm	14mm
Hard Material Max Capacity	4.8mm	6.4mm	7.9mm	11mm

FIBREGLASS HANDLE BOLT CUTTERS



All purpose bolt cutters with fibreglass handles fitted with heavy vinyl grips with flat grips ends for 90° cuts. Centre-cut jaws for soft, medium and hard metals. Not suitable for cable cutting.

ORDERING INFORMATION	K-63118	K-63124	K-63136
Length	463mm	622mm	927mm
Weight	1.7kg	2.8kg	5.9kg
Soft/Med Material Max Capacity	9.5mm	11mm	14mm
Hard Material Max Capacity	6.4mm	7.9mm	11mm

STANDARD CABLE CUTTERS



12

The Standard Cable Cutters feature replaceable hookjaw blades made of forged tool steel that grab and hold cable while the shear-cutting action makes clean cuts. The exceptionally strong fiberglass handles have heavy vinyl grips for added comfort and slip resistance. NOT suitable for cutting Steel or ACSR.

ORDERING INFORMATION	K-63041TH	K-63045
Length	648mm / 25"	813mm / 32"
Weight	2.4kg	3.7kg
Cutting Capacity	35mm 240mm ² Copper / 300mm ² Aluminium	44mm 500mm² Copper / 600mm² Aluminium

K-63028 CABLE CUTTER 3/4" CAPACITY



ORDERING INFORMATION

K-63028 Cable Cutter 3/4"

The Coaxial Cable Cutter is designed to handle most cable installation applications cutting up to 3/4-Inch aluminum and copper coaxial cable. Provides precision, one-hand shearing without compression or frayed ends. Forged body with heat-treated and precision-ground steel blades, withstands frequent cutting.

	SPECIFICATIONS	
Length	210mm	
Weight	363g	
Cutting Capacity	19mm	

K-50712 EXTRA CAPACITY ADJUSTABLE WRENCH



	SPECIFICATIONS	
Length	311mm	
Weight	0.8kg	
Jaw Capacity	38mm	

K-6027DD 7" DEMOLITION SCREWDRIVER



Engineered, manufactured and tested for prying and chiselling. Plated metal strike cap to protect handle from hammer blows.

ORDERING INFORMATION	
K-6027DD	7" Demolition Screwdriver

SPECIFICATIONS	
Length	314mm
Weight	0.25kg
Shank Length	7" (178mm)
Tip Type	Keystone
Tip Size	⁵ / ₁₆ " (7.9mm)

sales@cbsproducts.com +44 (0)1572 723 665 13

K-80936MF MILLED-FACE LINESMAN'S HAMMER



CRDERING INFORMATION

Linesman's Milled Face
Hammer

One milled face for driving staples used in pole-line work and common, unhardened nails. Other face is smooth for driving heavier duty hardware. Rugged and wellbalanced, with the weight to drive lag bolts.

	SPECIFICATIONS	
Length	356mm	
Weight	1.1kg	
Head Weight	1021g	

K-3238 1/2" RATCHETING CONSTRUCTION WRENCH



bolt and rivet holes.

SPECIF

	ORDERING INFORMATION
K-3238	1/2" Ratcheting Construction Wrench

	SPECIFICATION	
Length	381mm	
Weight	1kg	

Klein Tools' Adjustable-Head Construction Wrench is forged from durable, select alloy steel with corrosion resistant finish. A continuous-taper handle helps align

K-44037 SPORTSMAN KNIFE DROP POINT





ORDERING INFORMATION	
K-44037	Sportsman Knife Drop Point

Klein's Sportsman Knife is the perfect tool for your extracurricular activities. The blade is stainless steel for long life. Ergonomic handle provides firm, comfortable grip.

SPECIFICATION		
Overall Length	222mm	
Blade Length	86mm	
Closed Length	127mm	
Weight	0.05kg	

K-44006 2- ⁵/₈" LOCKBACK KNIFE



	ORDERING INFORMATION
K-44006	Lockback Knife

	SPECIFICATIONS	
Length	168.3mm	
Closed Length	98.4mm	
Blade Length	66.7mm	
Weight	37g	

Sheep foot blade is AUS 8 stainless-steel hardened to 58-59 RC. Slim and comfortable silver anodized-aluminium handle for corrosion-resistance.

K-48036 COMBINATION KNIFE AND SCISSORS SHARPENER



	SPECIFICATIONS
Dimensions	101.6 x 57.2 x 19.1mm
Weight	0.05kg

	ORDERING INFORMATION
K-48036	Knife and Scissor Sharpener

K-KT151T LINESMAN'S RATCHETING WRENCH



The Klein Tools' Ratcheting Lineman's Wrench is great for utility work. Its 3/4-Inch and 1-Inch x 1-18-Inch combination square socket works with the most common utility hardware. A bolt-through design allows bolts to pass through the socket. 8 points.

	SPECIFICATIONS	
Length	33cm	
Weight	1.0kg	

	ORDERING INFORMATION
K-KT151T	Lineman's Ratcheting Wrench

K-68005 CAN WRENCH



The Klein Tools Can Wrench delivers 2-in-1 versatility and performance with a drop-forged construction, made from steel alloy. This tool allows you to open telephone box fasteners with one end and tighten nuts on binding-post terminals with the other.

	SPECIFICATIONS
Length	178mm
Weight	159g
Socket Size	3/8" and 7/16" Hex Nut

	ORDERING INFORMATION
K-68005	Can Wrench

L-STYLE 9 PIECE METRIC ALLEN KEY SET



The L-style hex keys are organized in a convenient, durable caddy. The keys are made of top-grade alloy steel in rust and corrosion resistant surfaces.

Contains: 1.5mm, 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 8mm & 10mm

	ORDERING INFORMATION
K-LMK10	L-Style 9 Piece Allen Key Set
K-BLMK10	L-Style Ball End 9 Piece Allen Key Set

K-7FWSS10025 STAINLESS STEEL FOX WEDGE



This Klein Tools Fox Wedge is designed for splitting mating surfaces. Its especially useful in marine conditions, because it's made of stainless steel which is resistant to corrosion. The stainless steel also provides greater hardness.

16

	SPECIFICATIONS
Dimensions	102 x 25mm
Thickness	80mm
Weight	100g

ORDERING INFORMATION	
K-7FWSS10025	Stainless Steel Fox Wedge 4"

K-2214 HYDRA-COOL CLIMBER PADS



Klein Tools Hydra-Cool Climber Pads feature an exclusive bi-layer comfort system - two-layers of padding for superior comfort and support. The top layer is moisture-wicking with cooling and thermal insulating properties. The bottom layer features PORON cushioning that absorbs impact, resists water, and conforms to the leg for comfort. Sold in pairs, one size fits most.

K-5266N-20D SEMI-FLOATING BODY BELT



Klein-Kord® belt pad with two pocket tabs. Padded for maximum comfort and body fit and rolled-edge leather belt cushion for comfort when leaning back. Four suspender rings, tape thong and glove-bag ring, two-way knife snap and forged circle D-rings.

	SPECIFICATIONS
Waist Size	34 - 42" / 86.4 - 106.7cm
Overall Width	4.75" / 12.1 cm
Anchor Points	2

	ORDERING INFORMATION
K-5266N-20D	Semi-Floating Body Belt

K-KG52956-6L POSITIONING STRAP 78"



	SPECIFICATIONS
Maximum Length	2m / 6'6"
Minimum Length	1.4m / 4′6″
Pole Diameter	254.4 - 53.3cm / 10" - 21"

OR	DERING INFORMATION
K-KG52956-6L	Positioning Strap 78"

Klein's positioning straps work with Klein's climbing equipment for linemen. Made with exceptionally strong and long-lasting Klein-Kord, the straps are adjustable within a 2'3" range. Features a Gard snap hook with 5000 lb. (2268 kg) gate strength.

K-CN1972AR POLE CLIMBING IRONS





Spur type adjustable climbers; make easy work of pole climbing. Comfort pads, and calf and ankle straps, replacement gaffs. A complete range of spare parts and sharpening equipment is available.

	SPECIFICATIONS	
Weight	2.7kg	

	ORDERING INFORMATION
K-CN1972AR	Pole Climbing Irons

	SPARE PARTS
K-1945G	Removable Gaff Protectors
K-1972AR	1 ¹ / ₂ " Gaffs
K-1972G	Snap On Gaff Guard
K-530118	Calf Straps 22"
K-530119	Calf Straps 26"
K-530120	Ankle Straps
K-72	Replacement Gaffs
K-8210	Comfort Pads
K-8220	Velcro Climber Pads
K-KG-2	Gaff Sharpening Kit



LINEMAN WORK GLOVE



Durably constructed to withstand the day-to-day abuse lineman's' hands take. The 4-Inch (102 mm) leather and Neoprene cuffs with side vents offer protection from the outside elements.

	ORDERING INFORMATION		
K-40082	Lineman Work Glove - Large		
K-40084	Lineman Work Glove - X Large		

JOURNEYMAN CUT RESISTANT GLOVE



Klein Tools iconic Journeyman gloves are designed for today's jobsite demands. Constructed of the latest high -quality high-tech materials available, these CE Cut Level 5 gloves provide protection, dexterity and extreme functionality on and off the jobsite.

	ORDERING INFORMATION		
K-40224	Cut Resistant Glove - Large		
K-40225	Cut Resistant Glove - X Large		

JOURNEYMAN LEATHER UTILITY GLOVE



Durable and comfortable with pen cuff for quick on/off. Stretch back for extra comfort and flexibility, constructed of the latest high-quality high-tech materials available, these leather utility gloves provide protection, dexterity and extreme functionality on and off the jobsite.

ORDERING INFORMATION		
K-40227	Leather Utility Glove - Large	
K-40228	Leather Utility Glove - X Large	

JOURNEYMAN WIRE PULLING GLOVE



Great gripping ability, slim fit for better dexterity, touchscreen capability on index finger, neoprene wrist closure for comfort. Reinforced palm pad.

ORDERING INFORMATION	
K-40233	Wire Pulling Glove - Large
K-40234	Wire Pulling Glove - X Large

COMBINATION GLOVE & SLEEVE BAG



SPECIFICATIONS	K-512216	K-512218
Length	406.4mm	457.2mm
Width	203.2mm	203.2mm
Depth	122.3mm	122.3mm
Weight	0.5kg	0.5kg

ORDERING INFORMATION		
K-512216	Glove & Sleeve Bag - 16 inch	
K-512218	Glove & Sleeve Bag - 18 inch	

K-512417 CANVAS GLOVE BAG



	SPECIFICATIONS	
Length	431.8mm	
Depth	101.6mm	
Width	203.2mm	
Weight	0.27kg	

ORDERING INFORMATION	
K-512417	Canvas Glove Bag - 17 inch

CANVAS TOOL BUCKETS

Made from heavy duty canvas, these durable canvas buckets are used for carrying tools from the ground to an aerial position.

K-5104CLR HEAVY DUTY TOP CLOSING BUCKET



SPECIFICATIONS	5104CLR17	5104CLR22
Diameter	356mm	356mm
Height	432mm	559mm
Weight	3kg	3.2kg

ORDER	ING INFORMATION	
K-5104CLR17	17" Canvas Bucket	
K-5104CLR22	22" Canvas Bucket	

Top of buckets zips closed. Designed to accommodate standard 5 gallon/18.93l bucket (not included).

K-5172PS HEAVY DUTY BUCKET



	SPECIFICATIONS	
Top Diameter	305mm	
Bottom Diameter	229mm	
Height	305mm	
Weight	1.1kg	

ORDERING INFORMATION			
K-5172PS	12" Heavy Duty Canvas Bucket With 15 Internal Pockets		

K-5104S LEATHER BOTTOM BUCKET



	SPECIFICATIONS	
Diameter	305mm	
Height	432mm	
Weight	1.3kg	
Load Rated	45kg	

	ORDERING INFORMATION
K-5104S	Leather Bottom Bucket

K-5109 WIDE OPENING STRAIGHT WALL BUCKET



	SPECIFICATIONS	
Diameter	305mm	
Height	381mm	
Weight	1.0kg	
Load Rated	34kg	

ORDERING INFORMATION	
K-5109	Wide Opening Canvas Bucket
K-5109P	Wide Opening Bucket with pocket

K-51TOP VINYL BUCKET TOP



Compatible with K-5104 and K-5109 series buckets.

22

	SPECIFICATIONS	
Height	88.9mm	
Diameter	317.5mm	
Weight	0.18kg	

	ORDERING INFORMATION
K-51TOP	Vinyl Bucket Top

K-5106 STRAIGHT WALL BUCKET





	SPECIFICATIONS	
Diameter	228.6mm	
Height	355.6mm	
Weight	0.8kg	

ORDERING INFORMATION		
K-5106	Straight Wall Canvas Bucket	
K-5106S	Straight Wall Canvas Bucket with Swivel Snap	

K-511048 LINE HOSE BAG



	SPECIFICATIONS	
Diameter	178mm	
Height	1219mm	
Weight	1kg	

	ORDERING INFORMATION
K-511048	Line Hose Canvas Bag

K-5103S HEAVY DUTY TAPERED WALL BUCKET



SPECIFICATION		
Top Diameter	305mm	
Bottom Diameter	230mm	
Height	305mm	
Weight	0.9kg	

	ORDERING INFORMATION
K-5103S	Heavy Duty Tapered Wall Bucket

K-5144 AERIAL OVAL BUCKET WITH HOOKS



SPECIFICATIONS

Dimensions 356 x 178 x 254mm

Weight 0.9kg

Interior Pockets 15

ORDERING INFORMATION

K-5144 Oval Canvas Bucket + Hooks

K-5144S OVAL BUCKET WITH SWIVEL SNAP



Dimensions 356 x 178 x 254mm Weight 1kg Interior Pockets 15

	ORDERING INFORMATION
K-5144S	Oval Canvas Bucket + swivel snap

K-5144BHHB HARD BODY OVAL BUCKET WITH HANDLE



24

SPECIFICATIONS		
Dimensions	356 x 178 x 254mm	
Weight	1kg	
Interior Pockets	15	

	ORDERING INFORMATION
К-5144ВННВ	Hard Body Oval Bucket with handle

K-5144BHB HARD BODY OVAL BUCKET



SPECIFICATIONS Dimensions 356 x 178 x 254mm Weight 0.9kg Interior Pockets 14

	ORDERING INFORMATION
K-5144BHB	Hard Body Oval Bucket

K-5109SV VINYL BUCKET WITH SWIVEL SNAP



SPECIFICATIONS		
Dimensions	304.8 x 381mm	
Weight	1kg	
Load Rating	45kg	

	ORDERING INFORMATION
K-5109SV	Vinyl Bucket with Swivel Snap

K-5109CSV VINYL TOP CLOSING BUCKET WITH SWIVEL



SPECIFICATIONS		
Dimensions	304.8 x 431.8mm	
Weight	0.8kg	
Load Rating	45kg	

ORDERING INFORMATION		
K-5109CSV	Vinyl Top Closing Bucket with Swivel	

sales@cbsproducts.com +44 (0)1572 723 665 25

K-5216V VINYL LINEMAN DUFFEL BAG



	SPECIFICATIONS
Dimensions	609.6 x 304.8 x 304.8mm
Weight	0.9kg

ORDERING INFORMATION	
K-5216V	Vinyl Lineman Duffel Bag

This lightweight duffel bag makes it easy to transport your gear to and from the jobsite. Constructed of orange vinyl with web handles that extend around the bag for extra support. Bag also offers mesh panels and drain holes in the bottom.

K-5180 EXTRA LARGE NYLON EQUIPMENT BAG



	SPECIFICATIONS
Dimensions	609.6 x 254 x 457.2mm
Weight	2.7kg

ORDERING INFORMATION	
K-5180	Extra Large Nylon Equipment Bag

The wide opening steel frame is securely riveted in the top of the bag and the extra flap provides storm protection. The bottom of the bag is protected by metal studs and reinforced with plywood.

K-5185ORA LINEMAN BACKPACK



26

SPECIFICATIONS	
Dimensions	457.2 x 254 x 584.2mm
Weight	2.3kg
Pockets	1 Interior, 3 Exterior

ORDERING INFORMATION	
K-5185ORA	Lineman Backpack

Tool Backpack has wide opening to easily accommodate helmets, belts and other equipment. Large front pocket for separate storage of gaffs, rubber gloves or other equipment. It also has a padded back area for comfort and to protect from sharp tools and climbing gear.

K-51828 SMALL AERIAL APRON



ORDERING INFORMATION

K-51828 Small Aerial Apron

SPECIFICATIONS Dimensions 457.2 x 495.3 x 101.6mm Weight 1kg Interior Pockets 8

With this aerial apron, you can stay focused on finishing the job, not finding your tools. High-viz orange for easy visibility. This versatile apron features multiple pockets, pouches, holders, loops and hooks to organize your tools.

K-51829M AERIAL APRON WITH MAGNET



ORDERING INFORMATION

K-51829M Aerial Apron with Magnet

SPECIFICATIONS		
Dimensions	610 x 254mm	
Weight	1.8kg	
Interior Pockets	18	

Sewn-in magnet design won't catch on gloves. Includes ten hand tool pockets, two pouches, hammer loop and two drill bit holders. High-viz orange for easy visibility and safety. Water-resistant vinyl protects against the elements.

K-51829MHS AERIAL APRON WITH MAGNET & HOT STICK POCKET



ORDERING INFORMATION

K-51829MHS Aerial Apron with Magnet & Hot Stick Pocket

SPECIFICATIONS	
Dimensions	700x 813mm
Weight	1.8kg
Interior Pockets	16

Keeps your utility gear organised and portable. Easily attaches to your bucket. Includes a large pouch for hot stick and attachments. Includes 10 hand tool pockets, two pouches, hammer loop and a drill bit pocket.

K-55603 TRADESMAN PRO TABLET BACKPACK



Features multiple pockets for plenty of tool storage, a separate interior padded pouch compartment for your tablet, a hard moulded front outside pocket for safety glasses and a front zip pocket to store loose parts.

	SPECIFICATIONS
Dimensions	355.6 x 177.8 x 469.9mm
Weight	2.6kg
Pockets	25

ORDERING INFORMATION	
K-55603	Tradesman Pro Tablet Backpack

K-55421BP14 TRADESMAN PRO BACKPACK



Klein Tools' Tradesman Pro Organiser Backpack features 39 pockets for plenty of tool storage, including a hard, moulded front pocket for safety glasses and a front zipper pocket to store loose parts.

	SPECIFICATIONS
Dimensions	368 x 184 x 508mm
Weight	2.7kg
Pockets	39

ORDERING INFORMATION		
K-55421BP14	Tradesman Pro Backpack	

K-55456BPL TRADESMAN PRO LAPTOP BACKPACK



Klein Tools' Tradesman Pro Laptop Backpack / Tool Bag can carry both your laptop and tools in the same bag. It has a separate compartment that keeps a laptop protected from other tools, plus 25 more pockets to designed to store adapters, cables, phones, and tools.

28

	SPECIFICATIONS
Dimensions	356 x 178 x 470mm
Weight	2.7kg
Pockets	25

	ORDERING INFORMATION
K-55456BPL	Tradesman Pro Laptop Backpack

K-55475 TRADESMAN PRO TOOL BAG BACKPACK



Klein's Tradesman Pro™ Tool Gear Backpack is made of durable ballistic weave material with a tough, diamond-textured coated bottom for added durability. Thirty-five pockets keep your tools organized and easy to find.

SPECIFICATIONS		
Dimensions	187 x 368 x 445mm	
Weight	2kg	
Pockets	32 Interior, 3 exterior	

ORDERING INFORMATION		
K-55475	Tradesman Pro Tool Bag Backpack	

K-55485 TRADESMAN PRO VIP BACKPACK



With 48 pockets inside and out, this backpack has plenty of room for all sorts of hand tools, tablets, cables and wires, safety equipment, attachments, accessories, and more. Removable tool caddy with carrying handles.

SPECIFICATIONS		
Dimensions	279 x 343 x 500mm	
Weight	6kg	
Pockets	36 Interior, 12 exterior	

	ORDERING INFORMATION
K-55475	Tradesman Pro VIP Backpack

K-55597 TRADESMAN PRO HI VISIBILITY BACKPACK



Klein Tools Tradesman Pro™ Hi-Viz Backpack keeps your tools organized and easily accessible. The bright interior makes it easy to find small parts and tools; the outer reflective strips create greater visibility in low light conditions.

	SPECIFICATIONS
Dimensions	365 x 178 x 508mm
Weight	2.5kg
Pockets	35 Interior, 4 exterior

ORDERING INFORMATION		
K-55597	Tradesman Pro Hi Visibility Backpack	

K-55452RTB ROLLING TOOL BAG



SPECIFICATIONS		
Length	482.6mm	
Width	317.5mm	
Height	355.6mm	
Weight	8.6kg	
Pockets	14 Interior, 10 exterior	

ORDERING INFORMATION		
K-55452RTB	Rolling Tool Bag	

Cart your tools with ease in Klein Tools' Tradesman Pro Organiser Rolling Tool Bag. The rugged 6-Inch wheels can easily handle rough terrain. This tough bag can store up to 45.4 kg of tools and materials inside, and another 45.4 kg stacked on top.

LEATHER BOTTOM CANVAS TOOL BAG



30

	SPECIFICATIONS	
Length	457.2mm	
Width	152.5mm	
Height	355.6mm	
Weight	1.8kg	

	ORDERING INFORMATION
K-500318	Leather Bottom Canvas Tool Bag - 18 inch, 11 pockets
K-500320	Leather Bottom Canvas Tool Bag - 20 inch, 14 pockets

Made with heavy-duty canvas material for added durability and reliability. Small tool bags, large tool bags and everything in between are designed to fit the diverse tools and accessories professionals use every day and help make lugging tools and materials between jobsites easier.

K-5179 WATER REPELLENT CANVAS POUCH



	SPECIFICATIONS	
Length	191mm	
Width	178mm	
Height	89mm	
Weight	1.8kg	

	ORDERING INFORMATION
K-5179	Water Repellent Canvas Pouch

K-5140 CANVAS BAGS 4 PK



	SPECIFICATIONS
Dimensions	317.5 x 18 x 177.8mm
Weight	426g

	ORDERING INFORMATION
K-5140	Canvas Bags 4 pk - assorted colours

Klein Tools popular canvas zipper bags now come in a convenient 4-pack, each bag a different colour, making it easy to store and identify your tools or spare parts. A heavy-duty brass zipper keeps these bags securely closed.

K-5539CPAK CANVAS ZIPPER BAGS 3 PK



	SPECIFICATIONS
Dimensions	254 x 89 x 203.2mm
Weight	350g

	ORDERING INFORMATION
K-5539CPAK	Canvas Bags 3 pk - assorted colours

The Klein Tools Canvas Zipper Consumables bags are perfect for storing wire nuts, connectors, and other consumables. Each bag has a brass grommet making them easy to hang or attach to a belt or clip.

MULTI COMPARTMENT STORAGE BOXES



Klein storage boxes are offered with a choice of compartment sizes and arrangements. Boxes feature strong, rigid, heavy-duty welded construction. Full-length piano hinged covers are designed to stay open for ease of access.

ORDERING INFORMATION	K-54439	K-54447	К-54448
Length	247.7mm	304.8mm	304.8mm
Width	338.2mm	457.2mm	457.2mm
Height	50.8mm	76.2mm	76.2mm
Weight	2.0kg	3.6kg	3.6kg
No of Compartments	20 each 66.7 x 58.7mm	20 each 69.9 x 73mm 4 each 95.3 x 73mm	32 each 54.0 x 73.0mm

K-54477 4 BOX SLIDE RACK



	ORDERING INFORMATION
K-54477	4 Box Slide Rack

32

	SPECIFICATIONS	
Length	400mm	
Width	508mm	
Height	381mm	
Weight	16.8kg	

Keep small tools and parts securely stored away, but still easily accessible with Klein Tools' Slide Racks. This durable metal frame holds up to four extra-large Klein Tools storage boxes (sold separately). The boxes ride in and out on heavy-duty channel tracks that permit covers to open all the way for full access.

K-55600 HARD COOLER



	SPECIFICATIONS	
Length	400mm	
Width	508	
Height	381mm	
Weight	16.8kg	

	ORDERING INFORMATION
K-55600	Hard Cooler

Lunch box keeps cool up to 30 hours; main compartment has a 16.1 L, 18 can capacity. Cooler supports up to 300 pounds (136.1 kg); not only does this carry lunch, it doubles as a handy place to sit. Inside storage compartment, lid opens full 180-degrees to access and holds items like phone, medicine, keys, napkins, utensils, etc.

K-55601 SOFT COOLER



SPECIFICATIONS		
Length	241mm	
Width	305mm	
Height	330mm	
Weight	1.5kg	

ORDERING INFORMATION	
K-55601	Soft Cooler

The tough Tradesman Pro™ Soft Lunch Cooler with its two insulated compartments keeps food and drinks cool for up to 12 hours. Fully-moulded bottom protects against the elements. Front zipper pocket holds keys, napkins, medicine, etc. Shoulder strap and handle for easy carrying.

sales@cbsproducts.com +44 (0)1572 723 665 33

K-50034 RATCHETING PVC CUTTER



The Klein Tools ratcheting PCV cutter cuts white and gray 1/2-Inch to 2-1/2-Inch white and gray schedule 40 and 80 PVC. The ratcheting action allows for easy, one-handed cutting and blade release. Lightweight, comfortable handle reduces hand fatigue.

SPECIFICATIONS	
Length	279mm
Weight	0.6kg
OD PVC Capacity	16-63.5mm
ID PVC Capacity	13-50.8mm

	ORDERING INFORMATION
K-50034	Ratcheting PVC Cutter

K-50506SEN PVC CUTTER



This PVC makes clean, burr-free cuts in PVC and flexible pipe. The steel construction provide great strength while the reversible blade doubles life. Built-in guide helps cut pipe squarely.

SPECIFICATIONS	
Length	216mm
Weight	0.5kg
PVC Capacity	19mm
Non-Metal Capacity	25.4mm
Flexible Pipe Capacity	34.9mm

	ORDERING INFORMATION
K-50506SEN	PVC Cutter

K-88912 PVC AND MULTILAYER TUBE CUTTER



This durable PVC and Multilayer Tubing Cutter provides quick, clean cuts and ease of use for the professional tradesperson. Excellent choice for drain and vent lines, it will cut 1" plastic tubing, hose or multilayer tubing, and up to 3/4" schedule 40 PVC.

(Not for use on metallic pipes or cable wire).

34

SPECIFICATIONS	
Dimensions	186 x 25 x 66mm
Weight	215g
PVC Capacity	19mm
Multilayer Capacity	25mm

	ORDERING INFORMATION
K-88912	PVC and Multilayer Tube Cutter

K-88904 PRO TUBE CUTTER



ORDERING INFORMATION

K-88904 Pro Tube Cutter

Accurate 4 roller tracking prevents threading and spiraling. For Stainless Steel and Copper tubing.

SPECIFICATIONS		
Length	153mm	
Weight	0.6kg	
Cutting Capacity	3.2-34.9mm Steel and Copper tubing	

K-88910 MINI TUBE CUTTER



ORDERING INFORMATION

K-88910 Mini Tube Cutter

For cutting 3.2mm to 15.9mm Copper and Aluminium tubing. Requires only 35mm swing radius

	SPECIFICATIONS
Dimensions	37 x 21 x 38mm
Weight	0.1kg

K-88977 PRO MINI TUBE CUTTER



ORDERING INFORMATION

K-88977 Pro Mini Tube Cutter

For Copper and Aluminium. Perfect for tight space cutting - requires only 35mm swing radius.

SPECIFICATIONS		
Length	44mm	
Weight	0.07kg	
Cutting Capacity	3.2-15.9mm OD	

K-NCVT-1 NON-CONTACT VOLTAGE TESTER



	ORDERING INFORMATION
K-NCVT-1	Non-contact Voltage Tester

Use this Non-Contact Voltage Tester to detect standard voltage in cables, cords, circuit breakers, lighting fixtures, switches, outlets and wires. A bright green LED will tell you the tester is working and also functions as a work light. It changes to red and warning tones sound when voltage is detected. CAT IV 1000 Standard, 50-500zHz frequency.

SPECIFICATIONS		
Length	139.7mm	
Width	18.3mm	
Height	25.4mm	
Weight	22.7g	
Voltage	50-1000V AC	
Batteries	2x AAA	

K-NCVT-2 DUAL RANGE NON-CONTACT VOLTAGE TESTER



ORDERING INFORMATION		
K-NCVT-2	Dual Range Non-contact Voltage Tester	

This Dual-Range Non-Contact Voltage Tester automatically detects low voltage and standard voltage. A bright green LED will tell you the tester is working and also functions as a work light. The light flashes red and two distinct warning tones sound when either low or standard voltage is detected. CAT IV 1000V Standard, 50-500Hz frequency.

SPECIFICATIONS		
Length	139.7mm	
Width	18.3mm	
Height	25.4mm	
Weight	22.7g	
Voltage	12-1000V AC	
Batteries	2 x Alkaline 1.5V AAA	

K-NCVT-3 NON-CONTACT VOLTAGE TESTER FLASHLIGHT



CRDERING INFORMATION

K-NCVT-3 Non-contact Voltage Tester Flashlight

The NCVT-3 is a non-contact voltage tester with an integrated flashlight. The voltage sensor detects 12-1,000V AC and indicates the presence of voltage in cables, cords, circuit breakers, light fixtures, switches, outlets and wires as well as AC voltage in doorbells, thermostats, low voltage lighting and irrigation systems. Includes both visual and audible signals. The NCVT-3 is rugged enough for any job site. CAT IV 1000V Standard, 50-500Hz frequency, IP67 water and dustproof.

SPECIFICATIONS	
Length	148mm
Width	18.3mm
Height	29.4mm
Weight	34g
Voltage	12-1000V AC
Batteries	2x AAA

K-NCVT-4IR N/C VOLTAGE TESTER W/INFRARED THERMOMETER



CRDERING INFORMATION

Non-contact Voltage Tester with
Infrared Thermometer

The NCVT-4IR provides non-contact determination of AC voltage in cables, cords, circuit breakers, switches, outlets and wires; as well as infrared (IR) thermometer measurements, making it the perfect choice for HVAC professionals. CAT IV 1000V Standard, 50-500Hz frequency.

SPECIFICATIONS	
Length	158.8mm
Width	30.2mm
Height	31.8mm
Weight	57g
Voltage	12-1000V AC
Batteries	2x AAA

37

K-NCVT-6 NON-CONTACT VOLTAGE TESTER LASER MEASURER



CRDERING INFORMATION

Non-contact Voltage Tester w Laser
Distance Measurer

The Klein Tools NCVT-6 is a non-contact voltage tester with an integrated laser distance meter. It can detect voltage over the full-range from 12 to 1000 VAC and can measure distances from 2-Inch (51 mm) up to 66-Feet (20 m). The laser distance meter functions independently with a simple-to-use intuitive interface. Easy, single-button changes between voltage detection and laser distance measurements.

	SPECIFICATIONS
Length	164mm
Width	34mm
Height	31mm
Weight	72g
Voltage	12-1000V AC
Batteries	2x AAA

K-ET920 USB DIGITAL METER



ORDERING INFORMATION

K-ET920 USB Digital Meter

38

The Klein Tools ET920 is a USB digital meter for Type-A and Type-C ports. It accurately and reliably measures and displays the USB port voltage, current, capacity, energy, and resistance simultaneously. It can function with any USB-A and most USB-C ports, including Qualcomm Quick Charge® ports that have the ability to deliver power. It requires NO batteries as it draws power from the power source to function.

SPECIFICATIONS	
Dimensions	164 x 34 x 31mm
Weight	48g
Voltage	3-20V DC
Capacity Used	99,999mAh maximum
Energy Delivered	999Wh maximum
Resistance	400 ohms maximum

K-CL360 CLAMP METER



ORDERING INFORMATION

K-CL360 Clamp Meter

The CL360 Electrical Tester is an automatically ranging true root means squared digital open fork meter that measures AC current via the fork, AC/DC voltage, continuity, and resistance vis test leads. It can detect the presence of voltage via the integrated noncontact voltage tester.

SPECIFICATIONS	
Length	213mm
Width	54mm
Height	35mm
Weight	180g
Voltage	600V AC, 1000V DC
Batteries	2x AAA

K-SRS56036 TELESCOPIC POLE 5.4M



ORDERING INFORMATION K-SRS56036 Telescopic Pole 5.4m

When speed counts, look no further. This tool extends to 18 feet in just 10 seconds! Easily retrieve cable for a distance without needing an extra pair of hands to shorten installation time. Great for low voltage applications.

	SPECIFICATIONS
Overall Length	5.5m / 18ft
Collapsed Length	0.8m / 32"
Weight	180g

K-93LDM65 20M LASER DISTANCE MEASURER



Meter provides measurements up to 20m/65ft in distance, at an accuracy of + or - 1.6mm. Quickly calculates area, length and volume with large, easy-to read buttons. Memory stores last 20 measurements.

SPECIFICATIONS	
Dimensions	114 x 51 x 35mm
Weight	145g
Range	50.8mm - 19.8m
Туре	Laser Reflection
Accuracy	+/- 1.6mm
Standard	IP54
Display	LCD
Batteries	2x AAA

ORDERING INFORMATION

K-93LDM65 20m Laser Measurer

K-TT1 TOOL TETHER



Keep your tools close at hand when working at height.

SPE	CIFICATIONS	
Max Weight	4.5kg	
Slack Length	812.8mm	
Stretched Length	1524mm	

	ORDERING INFORMATION
K-TT1	Tool Tether

K-TT2 TRIPLE LOCKING TOOL TETHER



Triple Locking Tool Tether

K-TT2

SPE	CIFICATIONS	
Max Weight	7kg	
Slack Length	813mm	
Stretched Length	1295mm	

K-D2288TT HIGH LEVERAGE DIAGONAL CUTTERS



These high-leverage diagonal cutters feature a split ring for tethering pliers while working at height. The rivet is closer to the cutting edge for greater cutting power while the angled head design allows for easy access in confined spaces. Short jaws and beveled cutting edges allow close cutting of wire.

	SPECIFICATIONS	
Length	203.2mm	
Weight	0.31kg	
Jaw Width	31.8mm	
Jaw Capacity	25.4mm	

	ORDERING INFORMATION
K-D2288TT	High Leverage Diagonal Cutter

K-D2489STT REBAR WORK DIAGONAL CUTTERS



These ironworker's pliers feature a split ring for tethering pliers while working at height. The 13-Degree angled head makes it easier to work in confined spaces while the hooked handle improves the grip and reduces slippage. This pair will be your go-to tool when working with soft annealed rebar tie wire.

SPECIFICATIONS			
Length	228.6mm		
Weight	0.31kg		
Jaw Width	31.8mm		
Jaw Capacity	25.4mm		

	ORDERING INFORMATION
K-D2489STT	Rebar Work Diagonal Cutters

K-D2017CSTT SLIM REBAR WORK PLIERS



These slim ironworker's pliers feature a split ring for tethering pliers while working at height. All of the features of Klein pliers plus the added safety of a tether ring. The slim design twists and cuts soft annealed rebar tie wire.

SPECIFICATIONS			
Length	228.6mm		
Weight	0.31kg		
Jaw Width	31.8mm		
Jaw Capacity	15.4mm		

ORDER	ING INFORMATION	
K-D2017CSTT	Slim Rebar Pliers	

K-D2139NETT 9" SIDE CUTTERS



These side cutting pliers feature a split ring for tethering pliers while working at height. The high-leverage design provides greater cutting and gripping power.

SPECIFICATIONS			
Length	238.1mm		
Weight	0.5kg		
Jaw Width	31.8mm		
Jaw Capacity	38.1mm		

ORDERING	SINFORMATION
K-D2139NETT	9" Side Cutters

K-D2139STT REBAR WORK PLIERS



Twists and cuts soft annealed rebar tie wire. Includes split ring for tethering plier while working at height. High-leverage design for greater cutting and gripping power. Hook bend handle and heavy duty knurled jaws

SPECIFICATIONS			
Length	238.1mm		
Weight	0.5kg		
Jaw Width	31.8mm		
Jaw Capacity	12.7mm		

	ORDERING INFORMATION
K-D2139STT	Rebar Work Pliers

K-D209-5C DIAGONAL CUTTING PLIERS



These Klein Tools 5-Inch Electronics Pliers have a narrow jaw and hinge with a sharp, pointed nose for precise tip cutting and trimming of printed circuit-boards.

SPECIFICATIONS			
Length	129mm		
Weight	86g		
Jaw Width	14mm		
Jaw Capacity	16mm		

ORDERING INFORMATION			
K-D209-5C	Electronics Diagonal Cutting pliers		

PUMP PLIERS WITH TETHER RING



Quick-adjust rivet allows one-handed fast, easy adjustment of plier jaws with a secure tongue and groove design for non slip grip - even with heavy pressure.

ORDERING INFORMATION	K-D5026TT	K-D50210TT	K-D50212TT
Dimensions	203.2 x 51 x 6.4mm	285.8 x 70 x 12.7mm	330.2 x 9.5 x 44.5mm
Weight	0.19kg	0.43kg	0.6kg
Jaw Capacity	22mm	44.5mm	60.3mm

ADJUSTABLE SPUD WRENCH



Eliminates the need for carrying several fixed-size wrenches. Precision-machined jaws are individually chosen and assembled by hand for smooth operation. Heat-treated for long life. Knurl turns smoothly for easy operation.

ORDERING INFORMATION	К-3227	к-3239
Length	279.4mm	406.4mm
Weight	0.5kg	1.1kg
Jaw Capacity	33.3mm	38.1mm

US HEAVY ERECTION WRENCH



Forged from select alloy steel to withstand high-leverage and heavy loads. Continuous taper of handle makes lining-up bolt holes easy and works on a range of bolt and/or hole sizes without binding. Cross-hole with no sharp edges for tethering.

ORDERING INFORMATION	K-3212TT	K-3213TT	K-3214TT
Length	422.3mm	441.3mm	457.2mm
Weight	0.9kg	1.2kg	1.5kg
Head Width	63.5mm	76.2mm	92.1mm
Bolt Size	19.1mm	22.2mm	25.4mm
Taper Diameter	25.4-6.4mm	28.6-7.1mm	28.6-6.4mm

BROAD HEAD BULL PIN



Klein Tools Broad-Head Bull Pins are machined from quality alloy steel to resist corrosion and mushrooming. Their angled head and smooth blending of radii increase strength and reduce the danger of chipping. The tether hole allows you to fasten to tether for safety when working at height.

ORDERING INFORMATION	К-3255	K-3255TT	K-3256	к-3256ТТ
Dimensions	349.3 x 31.8mm	349.3 x 31.8mm	254 x 27mm	254 x 27mm
Point Diameter	7.9mm	7.9mm	6.4mm	6.4mm
Weight	1.3kg	1.3kg	0.7kg	0.7kg
Tether Hole	No	Yes	No	Yes

K-3259 TETHER HOLE BULL PIN



SPECIFICATIONS	К-3259ТТ	K-3259TTS
Dimensions	304.8 x 33.3mm	304.8 x 33.3mm
Point Diameter	11.1mm	11.1mm
Weight	1kg, Steel	1.1kg, Stainless Steel

Klein Tools Bull Pins are manufactured for durability. The tether hole allows you to fasten to tether for easy access and safety when working at height., while the vertical slot keeps the pin aligned when hanging.

K-3246TT 36" ROUND BAR



Cross hole with no sharp edges for tethering when working at height. Chisel end is at a 15-degree angle for even greater leverage.

	SPECIFICATIONS
Dimensions	914.4 x 22.2mm
Weight	2.4kg
End	15°

	ORDERING INFORMATION
K-3246TT	36" Round Bar

K-56034 RECHARGEABLE AUTO-OFF HEADLAMP



SPECIFICATIONS	
Bulb Type	LED
Lumens	Spot/High: 200 Flood/Low: 100
Battery Life (rechargeable)	Spot/High: 12hrs Flood/Low: 22hrs

	ORDERING INFORMATION
K-56034	Rechargeable Auto-Off Headlamp

Klein Tools' new durable headlamp gives you bright, all-day light on either the bright spot setting or the lower, wide-casting flood light setting. Removing this headlamp for recharging is easy, just slide the lamp out of the bracket on the silicone strap -- no need to remove the strap from your hard hat. You'll know when it's time to recharge the lamp, because the LED lights on the battery gauge clearly indicate how much battery you have left. This headlamp also features new auto-sensing technology that turns off the unit after three minutes in bright light saving battery.

K-56220 TRADESMAN PRO HEADLAMP



SPECIFICATIONS	
Bulb Type	LED
Lumens	Spotlight: 200 Floodlight: 100
Battery Life (3 x AAA included)	Spotlight: 6hrs Floodlight: 10hrs

	ORDERING INFORMATION
K-56220	Tradesman Pro Headlamp

Klein Tools lights are designed to make life brighter and easier, with leading-edge solutions for illumination on and off the job site. The Headlamp has an anti-slip silicone strap to keep it securely fit to a hard hat. A 45-degree tilt allows the user to vary the beam direction to focus light exactly where it is needed. The strap is pre-adjusted to fit quickly onto a hard hat. The headlamp has two modes: spotlight or floodlight, depending on the necessary required focus.

K-56223 SIDE FOCUS FLASHLIGHT



This Side Focus Flashlight has a strong orange aluminium body and a durable cushion grip handle for safe and comfortable hold. Adjustable focus allows the user to slide the head forward for spotlight, back for floodlight to illuminate any setting.

S	PECIFICATIONS	
Bulb Type	LED	
Lumens	215	
Battery Life (3 x AAA included)	6hrs	

	ORDERING INFORMATION
K-56223	Side Focus Flashlight

K-56028 FLASHLIGHT WITH WORKLIGHT



This light is both a bright, focused flashlight and a broadcasting flood light in one small package. Magnetic end for hands-free operation. Glow ring tip charges while light is on. Waterproof IP67, dustproof.

SPECIFICATIONS	
Bulb Type	LED
Lumens	Torch: 235 Work Light: 100
Battery Life (3 x AAA included)	Flashlight: 6hrs Work Light: 12hrs

	ORDERING INFORMATION
K-56028	Flashlight with Worklight

K-56040 RECHARGEABLE FOCUS FLASHLIGHT WITH LASER



The rechargeable focus flashlight with class IIIa red laser pinpoints out-of-reach objects. This compact yet rugged, 10-foot drop-rated flashlight is IP54 water- and dust-resistant, making it a durable, reliable, versatile flashlight for active professional daily use.

46

	SPECIFICATIONS
Bulb Type	LED
Lumens	High: 350 Low: 125
Battery Life	6-12 Hours (2600mAh)

	ORDERING INFORMATION
K-56040	Rechargeable Focus Flashlight

K-56026 PENLIGHT WITH LASER



The inspection penlight uniquely features a laser that can be used to pinpoint hard-to-reach places, which is ideal for communicating with foremen, inspectors, colleagues, etc.

SPECIFICATIONS		
Bulb Type	LED	
Lumens	45	
Battery Life (2 x AAA included)	10hrs	

	ORDERING INFORMATION
K-56026	Penlight with Laser

K-55437 TRADESMAN PRO WORKLIGHT



SPECIFICATIONS	
Bulb Type	LED
Lumens	High: 150 Low: 50
Battery Life (3 x AAA included)	High: 6hrs Low: 10hrs

	ORDERING INFORMATION
K-55437	Tradesman Pro Worklight

K-56221 CLIP LIGHT



The Clip Light offers two power settings, and is impact and water resistant. The durable, rugged rubber over mould fits comfortably in hand.

SPECIFICATIONS	
Bulb Type	LED
Lumens	High: 150 Low: 50
Battery Life (3 x AAA included)	High: 6hrs Low: 10hrs

	ORDERING INFORMATION
K-56221	Clip Light

K-86315 5M DOUBLE HOOK MAGNETIC TAPE MEASURE



	SPECIFICATIONS	
Length	82.6mm	
Width	50.8mm	
Height	77.4mm	
Weight	0.37kg	

	ORDERING INFORMATION
K-86315	5m Tape Measure

K-5195TT TAPE MEASURE HOLDER



Designed to fit most 25 and 30 feet tape measures securely.

	SPECIFICATIONS
Belt Width	Up to 64mm
Weight	0.05kg

	ORDERING INFORMATION
K-5195TT	Tape Measure Holder

K-9319RETT MAGNETIC TORPEDO LEVEL



	ORDERING INFORMATION
K-9319RETT	Magnetic Torpedo Level

48

SPECIFICATIONS			
Length	228.6mm		
Weight	0.05kg		
Material	Aluminium		

K-31900 BI-METAL SAW



Bi-Metal Hole Saws are optimised for cutting steel, will also work well in drywall, ceiling tile, wood and plastic.

SPEC	IFICATIONS	
Hole Diameter	162mm	
Pipe Entrance Size	152mm	
Weight	0.9kg	

	ORDERING INFORMATION
K-31900	Bi-Metal Saw

REPLACEMENT HOLE CUTTER PILOT BIT AND CARBIDE CUTTERS



	ORDERING INFORMATION
K-31874	Replacement Hole Cutter Pilot Bit



SPECIFICATIONS	K-31850	K-31852	K-31856
Hole Diameter	19mm	22mm	29mm
Conduit/ Pipe size	-	13mm	19mm
Weight	113g	136g	181.4g

K-56001 50FT FLEX STEEL FISH TAPE



SPECIFICATIONS			
Diameter	178mm		
Tape Siize	152 x 3.2 x 1.14mm		
Weight	0.6kg		

	ORDERING INFORMATION
K-56001	50ft Flex Steel Fish Tape

The 50-foot (15.24 m) Steel Fish Tape is perfect for short wire runs associated with light commercial, residential and voice-data-video-audio installations. The tape features laser-etched descending markings placed every foot., allowing you to accurately measure the depth of conduit runs and determine the amount of tape left to pay out.

K-NRHD4 4-IN-1 SQUARE IMPACT SOCKET



ORDERING INFORMATION		
K-NRHD4	4-in-1 Square Impact Socket	

SPECIFICATIONS			
Length	228.6mm		
Width	50.8mm		
Height	50.8mm		
Weight	1.03kg		
No of points	4		

K-66004 2-IN-1 SQUARE IMPACT SOCKET



SPECIFICATIONS			
Length	27.9mm		
Width	27.9mm		
Height	79.2mm		
Weight	0.2kg		
No of points	6		

K-63700 HEAVY DUTY RATCHET CUTTERS



	ORDERING INFORMATION
K-63700	Heavy Duty Ratchet Cutters

50

Designed for cutting Steel and ACSR Conductors up to 31mm. Ratchet-action design of this heavy-duty Ratcheting Cutter provides maximum leverage with minimum effort. Long steel handles have heavy vinyl grips for comfort and slip-resistance. Blade-advance knob quickly rotates the blade to engage the cable or other material being cut.

	SPECIFICATIONS	
Length	711mm	
Weight	6.4kg	

K-63800ACSR ACSR RATCHET CABLE CUTTERS



ORDERING INFORMATION

K-63800ACSR ACSR Ratchet Cutters

Designed for cutting ACSR Conductors up to 22mm in diameter in addition to 25mm Copper, 31mm Aluminium.

	SPECIFICATIONS	
Length	356mm	
Weight	1.5kg	

INSULATED HIGH LEVERAGE SIDE CUTTING PLIERS



These Klein Tools Side Cutting New England Insulated Pliers are insulated by two layers. They are made of forged steel with induction-hardened knives for strength and durability.

ORDERING INFORMATION	K-D213-9NE-INS	K-D2000-9NE-INS
Length	244.5mm	244.5mm
Jaw Dimensions	40.5 x 33.3mm	40.5 x 33.3mm
Weight	0.59kg	0.6kg
Nose Type	New England	New England
Heavy Duty	No	Yes

INSULATED HIGH LEVERAGE SIDE CUTTING PLIERS



These Insulated Diagonal-Cutting pliers have dual layered grips that are flame retardant, impact resistant, and rated for 1000-volts. They feature induction hardened cutting knives for durability. They are made of forged steel and have a hot-riveted joint for smooth action and no handle wobble.

ORDERING INFORMATION	K-D228-8-INS	K-D248-8-INS	K-D2000-28-INS	K-D2000-48-INS
Length	209.6mm	209.6mm	209.6mm	209.6mm
Jaw Dimensions	20.6 x 30.2mm	20.6 x 30.2mm	20.6 x 30.2mm	20.6 x 30.2mm
Weight	0.32kg	0.32kg	0.32kg	0.32kg
Nose Type	Tapered	Angled	Tapered	Angled
Heavy Duty	No	No	Yes	Yes

K-D2139NE-CR-INS INSULATED CRIMPING SIDE CUTTERS



ORDERIN	IG INFORMATION
K-D2139NE-CR-INS	Insulated Crimping Cutters

	SPECIFICATIONS
Length	244.5mm
Jaw Length	40.5mm
Jaw Width	33.3mm
Weight	0.59kg
Nose Type	New England

K-12098-INS INSULATED UNIVERSAL SIDE CUTTERS



	ORDERING INFORMATION
K-12098-INS	Insulated Side Cutters

	SPECIFICATIONS	
Length	225.4mm	
Jaw Length	45.2mm	
Jaw Width	26.2mm	
Weight	0.45kg	
Nose Type	Universal	

K-D220-7-INS INSULATED DIAGONAL CUTTERS



ORDERING INFORMATION			
K-D220-7-INS	Insulated Diagonal Cutters		

SPECIFICATIONS			
Length	200mm		
Jaw Length	25.4mm		
Jaw Width	24.6mm		
Weight	0.32kg		
Nose Type	Tapered		

K-D203 INSULATED LONG NOSE PLIERS





ORDERING	K-D203-8-INS	K-D203-8N-INS	K-D203-7-INS	K-D203-6-INS
Length	225.4mm	225.4mm	187.3mm	174.6mm
Jaw Dims	58.7 x 25.4mm	58.7 x 25.4mm	61.9 x 17.5mm	49.2 x 17.5mm
Weight	0.32kg	0.32kg	0.14kg	0.14kg
Extras	Extended Handles	Skinning Hole No.12	Curved Handles	Curved Handles

K-D502-10-INS INSULATED PUMP PLIERS



ORDERING INFORMATION

K-D502-10-INS Insulated Pump Pliers

Wide range of versatile jaw positions, secure tongue and groove design for non-slip grip, even with heavy pressure.

SPECIFICATIONS		
Length	260.4mm	
Weight	0.5kg	
Max Jaw Capacity	44.5mm	

K-1005-INS INSULATED CRIMPING/CUTTING TOOL



ORDERING INFORMATION

K-1005-INS Crimping/Cutting Tool

Tapered nose designed for working in confined spaces, wire cutter in nose.

SPECIFICATIONS		
Length	247.7mm	
Weight	0.45kg	
Max Capacity	10-22 AWG	

K-63050-INS INSULATED HIGH LEVERAGE CABLE CUTTERS



ORDERING INFORMATION

K-63050-INS High Leverage Cable Cutters

Cable gripping, shear type jaws, one hand shearing action ideal for working in confined spaces.

SPECIFICATIONS			
Length	244.5mm		
Weight	0.45kg		
Max Capacity	4/0 Aluminium 2/0 Soft Copper 100 Pair 24 AWG		

K-1571-INS INSULATED LINEMAN'S SKINNING KNIFE



Insulated knife for skinning wires. Features measuring mark system on back of handle for accurate skinning.

	ORDERING INFORMATION
K-1571-INS	Linesman's Skinning Knife

SPECIFICATIONS			
Overall Length	222.3mm		
Blade Length	60.3mm		
Weight	0.16kg		

INSULATED WIRE STRIPPER/CUTTERS



54

This compact, lightweight wire-stripping, cutting tool cuts, strips, loops and gauges AWG wire. Dual layer orange-over-white insulation protects against electric shock. Spring-loaded for self-opening. Narrow nose fits into tight spaces.

ORDERING INFO	K-11045-INS	K-11049-INS	K-11055-INS
Length	177.8mm	177.8mm	203.2mm
Strips & Cuts	10/12/14/16/18 Solid AWG	8/10/12/14/16 Stranded AWG	10/12/14/16/18 Solid AWG 12/14/16/18/20 Stranded AWG
Weight	0.27kg	0.27kg	0.34kg


INSULATED ROUND SHANK SCREWDRIVERS




Durable, two-layer, moulded insulation to meet or exceed all ASTM and IEC standards for insulated tools, 1000V Rated for safety. Cushion-Grip handle for greater torque and comfort.

ORDERING INFORMATION	Tip	Length	Shank Length	Weight
K-6334-INS	Phillips #1	196.9mm	101.6mm	60g
K-603-4-INS	Phillips #2	211.2mm	101.6mm	91g
K-6037-INS	Phillips #2	287.3mm	177.8mm	113g
K-6337-INS	Phillips #3	314.3mm	177.8mm	181g
K-607-3-INS	Cabinet 2.4mm	171.5mm	76.2mm	54g
K-612-4-INS	Cabinet 3.2mm	196.9mm	101.6mm	60g
K-601-4-INS	Cabinet 4.8mm	196.9mm	101.6mm	60g
K-601-7-INS	Cabinet 4.8mm	273.1mm	177.8mm	77g
K-602-4-INS	Cabinet 6.4mm	211.1mm	101.6mm	91g
K-605-7-INS	Cabinet 6.4mm	287.3mm	177.8mm	113g
K-602-7-INS	Cabinet 7.9mm	314.3mm	177.8mm	181g
K-602-8-INS	Cabinet 9.5mm	339.7mm	203.2mm	227g
K-661-4-INS	Square #1	211.1mm	101.6mm	91g
K-661-7-INS	Square #1	287.3mm	177.8mm	91g
K-662-4-INS	Square #2	211.1mm	101.6mm	91g
K-662-7-INS	Square #2	287.2mm	177.8mm	91g







K-33532-INS 2 PIECE INSULATED SCREWDRIVER SET



	SPECIFICATIONS	
Overall Length	184.2mm	
Shank Length	101.6mm	
Weight	0.27kg	

Includes one 1/4" Cabinet-Tip (602-4-INS) and one #2 Phillips-Tip (603-4-INS). Reduces risk with work up to 1000 volts. Durable, two-layer, moulded insulation. Cushion-Grip handles for greater torque and comfort.

ORD	ERING INFORMATION
K-33532-INS	2 Piece Insulated Screwdriver Set

K-33528 9 PIECE INSULATED SCREWDRIVER SET



SPECIFICATIONS		
Length	279mm	
Width	394mm	
Dimensions	64mm	
Weight	2.5kg	

CONTENTS - K-33528		
³ / ₁₆ " Cabinet 4" Screwdriver	¹ / ₈ " Slotted 4" Screwdriver	
³ / ₁₆ " Cabinet 7" Screwdriver	#1 Phillips 4" Screwdriver	
⁵ / ₁₆ " Cabinet 7" Screwdriver	#2 Phillips 4" Screwdriver	
³ / ₈ " Cabinet 8" Screwdriver	#3 Phillips 7" Screwdriver	
¹ / ₄ " Cabinet 4" Screwdriver		

K-33526 8 PIECE BASIC INSULATED TOOL KIT



	SPECIFICATIONS	
Length	279mm	
Width	394mm	
Height	64mm	
Weight	3.13kg	

CONTENTS - K-33526		
³ / ₁₆ " Cabinet 4" Screwdriver	8" Long Nose Pliers	
¹ / ₄ " Cabinet 4" Screwdriver	9" Side Cutting Pliers	
#2 Phillips 4" Screwdriver	8" Diagonal Cutters	
High Leverage Cable Cutters	Wire Stripper & Cutter	

K-33529 8 PIECE PREMIUM INSULATED TOOL KIT



SPECIFICATIONS		
Length	279mm	
Width	394mm	
Height	64mm	
Weight	3.13kg	

CONTENTS - K-33529		
³ / ₁₆ " Cabinet 4" Screwdriver	8" Heavy Duty Long Nose Pliers	
¹ / ₄ " Cabinet 4" Screwdriver	9" Heavy Duty Side Cutting Pliers	
#2 Phillips 4" Screwdriver	8" Heavy Duty Diagonal Cutters	
High Leverage Cable Cutters	Wire Stripper & Cutter	

K-33525SC 13 PIECE UTILITY TOOL KIT WITH ROLL CASE



SPECIFICATIONS		
Open Dimensions	622 x 622mm	
Closed Dimensions	622 x 140mm	
Weight	4.45kg	

CONTENTS - K-33525SC		
¹ / ₄ " Cabinet 4" Screwdriver	#1 Phillips 4" Screwdriver	
⁵ / ₁₆ " Cabinet 7" Screwdriver	#2 Phillips 4" Screwdriver	
³ / ₈ " Cabinet 8" Screwdriver	#3 Phillips 7" Screwdriver	
Linesman's Skinning Knife	9" Heavy Duty Side Cutting Pliers	
High Leverage Cable Cutters	8" Long Nose Cutting Pliers	
8" Diagonal Cutting Pliers	10" Pump Pliers	
8" Heavy Duty Diagonal Cutting Pliers		

K-33525 13 PIECE UTILITY INSULATED TOOL KIT



SPECIFICATIONS		
Length	391mm	
Width	480mm	
Height	210mm	
Weight	9.1kg	

CONTENTS - K-33525	
6.4mm Cabinet 4" Screwdriver	Linesman's Skinning Knife
7.9mm Cabinet 7" Screwdriver	High Leverage Cable Cutters
9.5mm Cabinet 8" Screwdriver	8" Diagonal Cutting Pliers
#1 Phillips 4" Screwdriver	8" Heavy Duty Diagonal Cutting Pliers
#2 Phillips 4" Screwdriver	9" Heavy Duty Side Cutting Pliers
#3 Phillips 7" Screwdriver	8" Long Nose Cutting Pliers
	10" Pump Pliers

K-33527 22 PIECE INSULATED ALL PURPOSE TOOL KIT



A comprehensive set of 22 insulated tools including assorted pliers x 8, screwdrivers x 9, 1 each of pump pliers, wire stripper/cutter, cable cutter, lineman's skinning knife and a crimping/cutting tool.

The custom case includes 3 sets of custom-fitted pockets for each tool. Piano-hinged cover features a combination lock and key-locked latches for security.

	SPECIFICATIONS	
Length	391mm	
Width	480mm	
Height	210mm	
Weight	11kg	

CONTENTS - K-33527	
4.8mm Cabinet 4" Screwdriver	Crimping/Cutting Tool
4.8mm Cabinet 7" Screwdriver	Wire Stripper & Cutter
6.4mm Cabinet 4" Screwdriver	Crimping Side Cutting Pliers
7.9mm Cabinet 7" Screwdriver	Linesman's Skinning Knife
9.5mm Cabinet 8" Screwdriver	High Leverage Cable Cutters
3.2mm Slotted 4" Screwdriver	7" Diagonal Cutting Pliers
#1 Phillips 4" Screwdriver	8" Diagonal Cutting Pliers
#2 Phillips 4" Screwdriver	8" Heavy Duty Diagonal Cutting Pliers
#3 Phillips 7" Screwdriver	9" Heavy Duty Side Cutting Pliers
	6" Long Nose Cutting Pliers
	8" Long Nose Side Cutting Pliers
	8" Heavy Duty Long Nose Pliers
	10" Pump Pliers

sales@cbsproducts.com +44 (0)1572 723 665 59

K-68502 11 PIECE COMBINATION WRENCH SET



Contains: 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, and 19mm Combination Wrenches.

ORDERING INFORMATION			
K-68502	11 Piece Combination Wrench Set		

	SPECIFICATIONS	
Weight	1.1kg	

K-85078 8 PIECE CUSHION GRIP SCREWDRIVER SET



General purpose selection of the most frequently used screwdrivers with an ergonomic cushion-grip and precision machined tip for efficient work.

	SPECIFICATIONS	
Weight	0.8kg	

	ORDERING INFORMATION
K-85078	8 Piece Screwdriver Set

CONT	ENTS
6.4mm Keystone, 211.9mm Screwdriver - Heavy Duty	#1 Phillips 171.5mm Screwdriver
7.9mm Keystone, 277.8mm Screwdriver - Heavy Duty	#2 Phillips 87.3mm Screwdriver
4.8mm Cabinet, 171.5mm Screwdriver	#2 Phillips 209.6mm Screwdriver
7.9mm Cabinet, 87.3mm Screwdriver	#3 Phillips 279.4mm Screwdriver

K-647 7 PIECE NUT DRIVER SET 6" SHAFT



Klein Tools 7-Piece Cushion-Grip Nut Driver Set contains the type of nut drivers professionals carry most often. Each nut driver features a full hollow shaft for work on stacked circuit boards or other long bolt applications. Klein's patented Cushion-Grip handle provides greater torque and comfort.

Contains: 3/16", 1/4", 5/16", 11/32", 3/8", 7/16", 1/2".

SPECIFICATIONS			
Weight	0.8kg		

	ORDERING INFORMATION
K-647	7 Piece Nut Driver Set, 6" shaft

K-65160 7 PIECE METRIC NUT DRIVER SET 3" SHAFT



The Klein Tools 7-Piece Metric Nut Driver Set features exceptionally strong drivers made from heat-treated, tempered steel and sport cushion-grip handles to resist slippage and increase potential torque. Each shaft is fully chrome plated to resist corrosion, providing you with lasting durability and performance.

Contains: 5mm, 5.5mm, 6mm, 7mm, 8mm, 9mm & 10mm.

	SPECIFICATIONS	
Weight	0.7kg	

ORDERING INFORMATION			
K-65160	7 Piece Metric Nut Driver Set, 3" shaft		

K-68245 5 PIECE REVERSIBLE RATCHETING BOX WRENCH SET



Get all five of Klein Tools' Fully Reversible Ratcheting Offset Box Wrenches in one convenient set. Each wrench has a different size opening at each end for multiple applications. Plus, both ends are offset by 25degrees for more convenient use in confined spaces.

Contains: 5/16" - 1/4", 7/16" - 3/8", 9/16" - 1/2", 11/16" - 5/8", 7/8" - 3/4" (7.9 - 19mm) and carry case.

SPECIFICATIONS			
Weight	0.3kg		

	ORDERING INFORMATION
K-68245	5 Piece Reversible Ratcheting Box Wrench Set

K-65502 8 PIECE DEEP SOCKET WRENCH SET



62

Set includes eight hex type drive, 6-point deep sockets: 3/8-Inch , 7/16-Inch , 1/2-Inch , 9/16-Inch , 5/8-Inch , 11/16-Inch , 3/4-Inch , and 13/16-Inch . Hinged red metal box. Chrome finish.

	SPECIFICATIONS	
Weight	0.3kg	

	ORDERING INFORMATION
K-65502	8 Piece Deep Socket Wrench Set

K-80141 41 PIECE TOOL KIT



The Klein Tools 41-Piece Journeyman Tool Set has practically any tool an electrician would need. This wide assortment of quality, durable tools contains pliers, screwdrivers, wrenches, wire strippers, and much more. The set includes a large canvas bag to store all of these tools.

SPECIFICATIONS Weight 13.5kg

CONTENTS	K-80141

Long nose side cutting pliers 6-3/4"

Journeyman™ long nose side cutting pliers 8"

Journeyman™ pump pliers 10"

Journeyman™ heavy duty side cutting wire pulling pliers 9"

Diagonal angled head heavy duty cutting pliers 8"

5/16" Cabinet tip screwdriver 1-1/2"

3/16" Cabinet tip screwdriver 3"

3/16" Cabinet tip screwdriver 6"

1/4" Cabinet tip screwdriver, heavy duty 6"

3/16" Rapi-Driv® cabinet screwdriver 6"

5/16" Keystone tip screwdriver 6"

#2 Phillips stubby screwdriver 1-1/2"

#1 Phillips screwdriver 3"

#2 Phillips wire bending screwdriver

3/16" Nut driver 3"

1/4" Nut driver cushion grip 3"

5/16" Nut driver cushion grip 3"

11/32" Nut driver 3"

3/8" Nut driver 3"

7/16" Nut driver cushion grip 3"

1/2" Nut driver cushion grip 3"

12 piece L style ball end hex key caddy set

Double hook magnetic tape measure, 25ft

Aluminium magnetic torpedo level

Leather bottom canvas tool bag 18"

Canvas zipper bag

Copper wire stripper and cutter

Klein-Kurve® retractable utility knife

Cable splicers kit

1/8" wide steel fish tape 125ft

Padded adjustable shoulder strap

Black frame, clear lens protective eyewear

Journeyman™ high leverage cable cutter

Conduit fitting and reaming screwdriver

Cushion grip scratch awl

Adjustable wrench, extra capacity 8"

Adjustable wrench, extra capacity 12"

#2 Square screwdriver 4"

1/4" Heavy duty screwdriver square shank

Journeyman™ crimping/cutting tool

Klein-Kurve® dual nm cable stripper/cutter

K-180230SSR BLOCK AND TACKLE KIT



SPECIFICATIONS			
Length	7.62m		
Rope Diameter	10mm		
Weight	1.3kg		
Maximum Safe Load	340kg		

	ORDERING INFORMATION
K-180230SSR	Block and Tackle Kit

All Klein block and tackle use high-quality, 3/8-Inch (10 mm) diameter rope. Light, galvanized-steel shell blocks are fitted with snubbing hooks to hold the load. Sheaves are strong yet lightweight aluminum alloy with all-bronze bushings. This package features two blocks with a swivel Klein hook Cat. No. 259 with a maximum safe load of 750-pound (340 kg). These are NOT occupational protective hooks. NOT for human support

K-1803-60 POLYPROPYLENE HAND LINE WITH SNAP HOOK



Klein Tools Polypropylene Hand-Line with Snap Hook is made with 5/16-Inch (8 mm) three-strand polypropylene 75-Foot (22.9 m) rope spliced to the eye of a snap hook. The hook is a forged steel snap hook with eye at 90-Degree to opening. This hand-line comes with a maximum safe load of 250-pounds (113 kg). These are NOT occupational protective devices. Do NOT use for human support.

SPECIFICATIONS		
Length	22.9m	
Rope Diameter	8mm	
Weight	1.1kg	
Maximum Safe Load	113kg	

ORDERING INFORMATION		
K-1803-60	Polypropylene Hand Line w Snap Hook	

K-BAT20-716 7/16" HIGH TORQUE IMPACT WRENCH



SPECIFICATIONS		
Length	279mm	
Width	102mm	
Height	254mm	
Weight	2.9kg	
Batteries	DeWALT 20V Lithium-ion	

For professional impact fastening and drilling applications. With up to 500 foot pounds of max torque, the impact wrench is great for drilling using auger bits and driving fasteners into wood, metal and concrete. It features a variable speed trigger and 7/16" quick release chuck.

ORDERING INFORMATION	
K-BAT20-716	High Torque Impact Wrench

K-BAT20-G7 CABLE CUTTER AL/CU OPEN JAW



Powered by a DeWALT 20V lithium-ion battery, this tool features two working lights to illuminate darker spaces. The open-jaw style is great when working in tight spaces. Cuts copper and aluminum cable quickly and efficiently.

SPECIFICATIONS		
Length	549mm	
Width	248mm	
Height	174mm	
Weight	6.9kg	
Maximum cable capacity - copper	600mcm	
Maximum cable capacity - aluminium	1000mcm	
Batteries	DeWALT 20V Lithium-ion	


ORDERING INFORMATION	
K-BAT20-G7	Cable Cutter Open Jaw AL/CU

K-BAT20-G2 CABLE CUTTER ACSR OPEN JAW



SPECIFICATIONS		
Length	549mm	
Width	248mm	
Height	174mm	
Weight	6.9kg	
Maximum cable capacity - copper	400mcm	
Maximum cable capacity - aluminium	900mcm	
Maximum cable capacity - acsr	795mcm	
Batteries	DeWALT 20V Lithium-ion	

Reduce fatigue and increase your speed with this battery-operated, gear-driven cable cutter. Cuts copper and aluminum cable quickly and efficiently. The open-jaw style is great when working in tight spaces. Powered by a DeWALT 20V lithium-ion battery, this tool features two working lights to illuminate darker spaces. Batteries, a charger and bag are included along with the tool and cutting jaw.



sales@cbsproducts.com www.cbsproducts.com +44 (0)1572 723 665